

# SAFETY DATA SHEET



Revision Date: 2018/10/15

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Identity** SPRAY SILICONE LUBE 130ml  
**Alternate Names** --

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.

### 1.3. Details of the supplier of the safety data sheet

**Company Name** CYBERGUN S.A.  
40 Boulevard Henri Sellier, 92150 Suresnes, France

**Telephone** +330142048100

**Email** info@cybergun.info

### 1.4. Emergency telephone number

**Emergency phone #** +330142048100

## SECTION 2 HAZARD IDENTIFICATION OF THE PRODUCT

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

Flammable Gas 1 H220 Extremely flammable gas.

### 2.2. Label elements

**According to Regulation (EC) No 1272/2008**



**DANGER**

H220 Extremely flammable gas.

#### **Precautionary Statements - Prevention:**

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

#### **Precautionary Statements - Response:**

P377 Leaking gas fire - do not extinguish unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

#### **Precautionary Statements - Storage:**

P403+235 Store in a well ventilated place. Keep cool.

P410+403 Protect from sunlight. Store in a well ventilated place.

#### **Precautionary Statements - Disposal:**

P501 Dispose of contents / container in accordance with local / national regulations.

See Technical Data Sheet.

### 2.3. Other hazards

This product contains no PBT/vPvB chemicals.

May displace oxygen and cause rapid suffocation.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS] (as amended by (EU) 2015/830), they are listed below.

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification*
<b>L.P.G. (Liquified Petroleum Gas)</b> CAS Number: 68476-85-7 EC No: 270-704-2 Index No.: 649-202-00-6	25 - 50	Flam. Gas 1; H220
<b>Petroleum Solvent</b> CAS Number: -- EC No: -- Index No.: --	25 - 30	Not Classified
<b>Dimethylsiloxane</b> CAS Number: 63148-62-9 EC No: 203-492-7 Index No.: --	15 - 18	Not Classified
<b>Dimethyl ether</b> CAS Number: 115-10-6 EC No: 204-065-8 Index No.: 603-019-00-8	10 - 12	Flam. Gas 1; H220 Press. Gas; H280

\*The full texts of the phrases are shown in Section 16.

## SECTION 4 FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eye</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	No specific symptom data available. Treat symptomatically. See section 2 for further details.
-----------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Do not use: water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Dioxide, Carbon Monoxide

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

### 5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from firefighting to enter drains or water ways.

Put on appropriate personal protective equipment (see section 8).

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Small Spill: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Large Spill: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for late disposal.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No available information.

## SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
68476-85-7	L.P.G. (Liquified Petroleum Gas)	OSHA	TWA 1000 ppm (1800 mg/m <sup>3</sup> )
		ACGIH	Ensure Minimal Oxygen Content (ACGIH appendix F)
		NIOSH	TWA 1000 ppm (1800 mg/m <sup>3</sup> )
--	Petroleum Solvent	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
63148-62-9	Dimethylsiloxane	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
115-10-6	Dimethyl ether	OSHA	No Established Limit
		ACGIH	TWA 1000 ppm
		NIOSH	No Established Limit

### 8.2. Exposure controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Protective safety glasses recommended.
<b>Skin</b>	Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Protective gloves recommended.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain

	concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Odor</b>	Lemon fragrance
<b>Odor threshold</b>	No available information
<b>pH</b>	No available information
<b>Melting point / freezing point</b>	No available information
<b>Initial boiling point and boiling range</b>	-0.5°C (31.09°F)
<b>Flash Point</b>	-74°C (-101.2°F) / Test method: closed cup
<b>Evaporation rate (Ether = 1)</b>	No available information
<b>Flammability (solid, gas)</b>	Gas
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> 1.8% <b>Upper Explosive Limit:</b> 8.4%
<b>Vapor pressure (Pa)</b>	No available information
<b>Vapor Density (Air=1)</b>	1.55
<b>Relative density</b>	0.72
<b>Solubility in Water</b>	Insoluble
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Auto-ignition temperature</b>	368°C (694.39°F)
<b>Decomposition temperature</b>	No available information
<b>Viscosity (cSt)</b>	No available information

### 9.2. Other information

No other relevant information.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No available information.

### 10.4. Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Thermal decomposition can give off carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>).

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product

Note: When no route specific LD<sub>50</sub> data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	<b>Classification</b>	<b>Hazard Description</b>
Acute toxicity (oral)	--	Not Applicable
Acute toxicity (dermal)	--	Not Applicable

Acute toxicity (inhalation)	--	Not Applicable
Skin corrosion/irritation	--	Not Applicable
Serious eye damage/irritation	--	Not Applicable
Respiratory sensitization	--	Not Applicable
Skin sensitization	--	Not Applicable
Germ cell mutagenicity	--	Not Applicable
Carcinogenicity	--	Not Applicable
Reproductive toxicity	--	Not Applicable
STOT-single exposure	--	Not Applicable
STOT-repeated exposure	--	Not Applicable
Aspiration hazard	--	Not Applicable

## Components

### Acute toxicity

Component	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
L.P.G. (Liquified Petroleum Gas)- (68476-85-7)	No data available	No data available	658.00, Rat - Category: NA	No data available	No data available
Petroleum Solvent	No data available	No data available	No data available	No data available	No data available
Dimethylsiloxane - (63148-62-9)	17,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Dimethyl ether – (115-10-6)	No data available	No data available	308.00, Rat - Category: NA	No data available	No data available

### Carcinogen Data

CAS No.	Component	Source	Value
68476-85-7	L.P.G. (Liquified Petroleum Gas)	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No
--	Petroleum Solvent	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No
63148-62-9	Dimethylsiloxane	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No
115-10-6	Dimethyl ether	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### Aquatic Ecotoxicity

Component	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L	3hr IC50 Bacteria, mg/L
L.P.G. (Liquified Petroleum Gas) - (68476-85-7)	Not Available	Not Available	Not Available	Not Available
Petroleum Solvent	Not Available	Not Available	Not Available	Not Available
Dimethylsiloxane - (63148-62-9)	>2,000.00, Fish	>2,000.00, Daphnia magna	>2,000.00 (72 hr), Algae	Not Available
Dimethyl ether - (115-10-6)	1,783.04, Fish	755.549, Daphnia sp	154.917 (96 hr), Algae	Not Available

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

No available information.

## 12.4. Mobility in soil

No available information.

## 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

## 12.6. Other adverse effects





No available information.

# SECTION 13 DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# SECTION 14 TRANSPORT INFORMATION

ADR/RID	IMDG	ICAO-TI/IATA-DGR	ADN
<b>14.1. UN number</b>			
1950	1950	1950	1950
<b>14.2. UN proper shipping name</b>			
Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable
<b>14.3. Transport hazard class(es)</b>			
2.1	2.1	2.1	2.1
			
<b>14.4. Packing group</b>			
Not Applicable	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
Not Applicable	Marine Pollutant: No	Not Applicable	Not Applicable

## 14.6. Special precautions for user

No further information.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable.

# SECTION 15 REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Legislation

REGULATION (EU) 2015/830 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### US federal regulations

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA):** All components of this material are either listed or exempt from listing on the TSCA Inventory.

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA (311/312) REPORTABLE GHS HAZARD CLASSES:** Flammable (gases, aerosols, liquids, or solids), Gas under Pressure, Simple Asphyxiant.

**SARA (313) TOXIC RELEASE INVENTORY:** This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

### National Legislation

None noted.

### Taiwan (R.O.C) Legislation

Occupational Safety and Health Act, Toxic Chemical Substance Control Act, Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace, Regulations for the Labeling and Hazard Communication of Hazardous Chemicals, Regulations Governing Designating and Handling of Priority Management Chemicals, Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste, Public Hazardous Substances & Flammable Pressurized Gases Establishment Standards & Safety Control Regulations.

#### **15.2. Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out.

## **SECTION 16 OTHER INFORMATION**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

End of Document